Index of Authors

Abd El Haleem, D., Von Wintzingerode, F., Moter, A., Moawad, H. & Göbel, U.B. Wheat or rye supplemented diets do not affect faecal mucus concentration or the adhesion of probiotic micro-organisms to faecal mucus, 34
Adams, M.R. *see* Boziaris, I.S.
Agarwal, N., Kamra, D.N., Chaudhary, L.C., Sahoo, A. & Pathak, N.N. Selection of *Saccharomyces cerevisiae* strains for use as a microbial feed additive, 270
Aikawa, K. *see* Fujisawa, T.
Akkermans, A.D.L. *see* Felske, A.
Ali, A.M. *see* Yazid, A.M.
Allan, E.J. *see* Ferguson, C.M.J.
Anderson, J.G. *see* Rowan, N.J.
Anderson, J.G. *see* Rowan, N.J.
Ando, T. *see* Hoshino, N.
Antoine, J.M. *see* Grill, J.P.
Arana, I., Santorum, P., Muela, A. & Barcina, I. Effect of disinfection upon dissolved organic carbon (DOC) in wastewater: bacterial bioassays, 157
Aranda, E. *see* Benito, M.J.
Attfield, P. & Kletsas, V. Hyperosmotic stress response by strains of bakers' yeasts in high sugar concentration medium, 323
Augustin, M.C. *see* Uberos, J.
Avanzini, C. *see* Bosio, K.

Barcina, I. *see* Arana, I.
Barer, M.R. *see* Smith, R.J.
Becker, H. *see* Richter, J.
Benito, M.J., Rodríguez, M.M., Córdoba, M.G., Aranda, E. & Córdoba, J.J. Rapid differentiation of *Staphylococcus aureus* from staphylococcal species by arbitrarily primed-polymerase chain reaction, 368
Bennett, A.M. *see* Lever, M.S.
Berry, E.D. Development and demonstration of RNA isolation and RT-PCR procedures to detect *Escherichia coli* O157:H7 gene expression on beef carcass surfaces, 265
Berthelemy, M. *see* Guillot, J.
Besnard, V., Federighi, M. & Cappelier, J.M. Effect of uracil on rifamycin SV production by *Amycolatopsis mediterranei* MV35R, 77
Beuchat, L.R. *see* Park, C.-M.
Bhushan, B, Samanta, S.K. & Jain, R.K. Instructions for authors, 5
Birch, R.G. *see* Huang, G.
Blaiotta, G., Ercolini, D., Simeoli, E., Moschetti, G. & Villani, F. Conditions for conjugative transposon transfer in *Lactococcus lactis*, 343
Blum, E. *see* Lilenbaum, W.
Booth, N.A. *see* Ferguson, C.M.J.
Bosio, K., Avanzini, C., D'Avolio, A., Ozino, O. & Savoia, D. *In vitro* activity of propolis against *Streptococcus pyogenes*, 174
Boziaris, I.S. & Adams, M.R. Transient sensitivity to nisin in cold-shocked Gram negatives, 233
Burianek, L.L. & Yousef, A.E. Solvent extraction of bacteriocins from liquid cultures, 193
Burton, N.F. *see* Cooper, R.A.

Candlish, A.A.G. *see* Rowan, N.J.
Cappelier, J.M. *see* Besnard, V.
Carras, M.M. *see* Scott Jr, D.L.
Caruso, G., Zaccone, R. & Crisafi, E. Use of the indirect immunofluorescence method for detection and enumeration of *Escherichia coli* in seawater samples, 274
Catranis, C.M. *see* Powell, W.A.
Cayuela, C. *see* Grill, J.P.
Chaudhary, L.C. *see* Agarwal, N.
Chen, Y.-C. *see* Liu, P.-C.
Chikindas, M.L. *see* Chung, H.-J.
Chitte, R.R. & Dey, S. Potent fibrinolytic enzyme from a thermophilic *Streptomyces megasporus* strain SD5, 405
Chung, H.-J., Montville, T.J. & Chikindas, M.L. Nisin depletes ATP and proton motive force in mycobacteria, 416
Civilini, M., Pucillo, C., Colombatti, A., Damante, G., De Bertoldi, M. & Tell, G. Monoclonal antibody detection of naphthalene dioxygenase from *Pseudomonas aeruginosa* 2NR, 313
Čižek, A., Literák, I. & Scheer, P. Survival of *Escherichia coli* O157 in faeces of experimentally infected rats and domestic pigeons, 349
Clark, C.W. *see* Scott Jr, D.L.
Colombatti, A. *see* Civilini, M.
Cooper, R.A., Wigley, P. & Burton, N.F. Efficacy of flagellin gene typing for epidemiological studies of *Campylobacter jejuni* in poultry estimated by comparison with macrorestriction profiling, 20
Cordero, M.R. & Zumalacárregui, J.M. Characterization of *Micrococcaceae* isolated from salt used for spanish dry-cured ham, 303
Córdoba, J.J. *see* Benito, M.J.
Córdoba, M.G. *see* Benito, M.J.
Cottenceau, G. *see* Portrait, V.
Crisafi, E. *see* Caruso, G.
Crosse, A.-M., Greenway, D.L.A. & England, R.R. Accumulation of ppGpp and ppGp in *Staphylococcus aureus* 8325-4 following nutrient starvation, 332
Crudele, M.A. *see* Martuscelli, M.

Cutter, C.N. *see* Siragusa, G.R.

D'Avolio, A. *see* Bosio, K.
Daley, E.M. *see* Farber, J.M.
Damante, G. *see* Civilini, M.
De Bertoldi, M. *see* Civilini, M.
De Vos, W.M. *see* Felske, A.
Debevere, J. *see* Neyts, K.
Del Re, B., Sgorbati, B., Miglioli, M. & Palenzona, D. Adhesion, autoaggregation and hydrophobicity of 13 strains of *Bifidobacterium longum*, 438
Demain, A.L. *see* Fang, A.
Deville, M. *see* Guillot, J.
Dey, S. *see* Chitte, R.R.
Di Pentima, J.H. *see* Pirovani, M.E.

Edwards, S.G. & Seddon, B. Selective medium based on tyrosine metabolism for the isolation and enumeration of *Brevibacillus brevis (Bacillus brevis)*, 395
Endoh, Y.S. *see* Yoshimura, H.
England, R.R. *see* Crosse, A.-M.
Englen, M.D. & Kelley, L.C. A rapid DNA isolation procedure for the identification of *Campylobacter jejuni* by the polymerase chain reaction, 421
Ercolini, D. *see* Blaiotta, G.

Fang, A., Pierson, D.L., Mishra, S.K. & Demain, A.L. Phylogenetic analysis of rhizosphere-associated β-subclass proteobacterial ammonia oxidizers in a municipal wastewater treatment plant based on rhizoremediation technology, 39
Farber, J.M., Daley, E.M., Mackie, M.T. & Limerick, B. A small outbreak of listeriosis potentially linked to the consumption of imitation crab meat, 100
Farish, O. *see* Rowan, N.J.
Federighi, M. *see* Besnard, V.
Felske, A., De Vos, W.M. & Akkermans, A.D.L. Spatial distribution of 16S rRNA levels from uncultured acidobacteria in soil, 118
Ferguson, C.M.J., Booth, N.A. & Allan, E.J. An ELISA for detection of *Bacillus subtilis* L-form bacteria confirms their symbiosis in strawberry, 390
Fett, W.F., Wijey, C., Moreau, R.A. & Osman, S.F. Susceptibility of multiresistant strains of *Burkholderia cepacia* to honey, 25
Finlay, W.J.J., Logan, N.A. & Sutherland, A.D. *Bacillus cereus* produces most emetic toxin at lower temperatures, 385
Fojtikova, K. *see* Steinhauserova, I.
Forsythe, S.J. *see* Mansfield, L.P.
Fouracre, R.A. *see* Rowan, N.J.

Fujisawa, T., Aikawa, K., Takahashi, T. & Yamai, S. Influence of sodium chloride on the β-glucuronidase activity of *Clostridium perfringens* and *Escherichia coli*, 255
Fukuda, S., Tatsumi, H., Igarashi, H. & Igimi, S. Rapid detection of *Staphylococcus aureus* using bioluminescent enzyme immunoassay, 134

Gardan, L. *see* Sutra, L.
Gardini, F. *see* Martuscelli, M.
Göbel, U.B. *see* Abd El Haleem, D.
Gråsten, S. *see* Ouwehand, A.C.
Gravesen, A. *see* Jydegaard, A.-M.
Greenway, D.L.A. *see* Crosse, A.-M.
Grill, J.P., Cayuela, C., Antoine, J.M. & Schneider, F. Effects of *Lactobacillus amylovorus* and *Bifidobacterium breve* on cholesterol, 154
Gross, N.T., Jarstrand, C. & Robertson, B. Treatment of experimental *Cryptococcus neoformans* infection in newborn rabbits by airway instillation of specific antibody and surfactant, 218
Guého, E. *see* Guillot, J.
Güemes, D.R. *see* Pirovani, M.E.
Guillamón, J.M. *see* Poblet, M.
Guillot, J., Deville, M., Berthelemy, M., Provost, F. & Guého, E. A single PCR-restriction endonuclease analysis for rapid identification of *Malassezia* species, 400

Hamann, H.P. *see* Zschöck, M.
Hammes, F. *see* Kalogo, Y.
Hayakawa, F. *see* Hoshino, N.
Hepburn, N.F. *see* Ogden, I.D.
Hoelzle, L.E. *see* Stephan, R.
Holgado, A.R. *see* Otero, C.
Hoshino, N., Kimura, T., Hayakawa, F., Yamaji, A. & Ando, T. Bactericidal activity of catechin-copper (II) complexes against *Staphylococcus aureus* compared with *Escherichia coli* , 213
Huang, C.-Y. *see* Liu, P.-C.
Huang, G., Zhang, L. & Birch, R.G. Rapid amplification and cloning of Tn5 flanking fragments by inverse PCR, 149
Huys, G. *see* Neyts, K.

Ibañez, E. *see* Manzanares, P.
Igarashi, H. *see* Fukuda, S.
Igimi, S. *see* Fukuda, S.
Inoue, K. *see* Watarai, S.
Ishimaru, M. *see* Yoshimura, H.

Jain, R.K. *see* Bhushan, B.

Jarstrand, C. *see* Gross, N.T.
Jaykus, L.-A. *see* Koo, K.
Jin, W. *see* Lee, S.H.
Jydegaard, A.-M., Gravesen, A. & Knøchel, S. Identification of acetic acid bacteria by restriction fragment length polymorphism analysis of a PCR-amplified fragment of the gene coding for 16S rRNA, 68

Kakita, Y. *see* Watanabe, K.
Kalaivaani, V. *see* Yazid, A.M.
Kalogo, Y., Rosillon, F., Hammes, F. & Verstraete, W. Effect of a water extract of *Moringa oleifera* seeds on the hydrolytic microbial species diversity of a UASB reactor treating domestic wastewater, 259
Kamra, D.N. *see* Agarwal, N.
Kang, D.H. *see* Siragusa, G.R.
Kang, S.G. *see* Lee, S.H.
Karpouzas, D.G., Morgan, J.A.W. & Walker, A. Isolation and characterization of 23 carbofuran-degrading bacteria from soils from distant geographical areas, 353
Kashige, N. *see* Watanabe, K.
Kehoe, S.C. *see* Smith, R.J.
Kelley, L.C. *see* Englen, M.D.
Kim, J.Y. *see* Lee, S.H.
Kimura, T. *see* Hoshino, N.
Kletsas, V. *see* Attfield, P.
Klimes, J. *see* Steinhauserova, I.
Kloppert, B. *see* Zschöck, M.
Knøchel, S. *see* Jydegaard, A.-M.
Kodama, H. *see* Watarai, S.
Kojima, A. *see* Yoshimura, H.
Komninou, G. *see* Vantarakis, A.
Koo, K. & Jaykus, L.-A. Selective amplification of bacterial RNA: use of a DNA primer containing mismatched bases near its 3′ terminus to reduce false-Positive signals, 187
Kubaczka, M. *see* Membré, J.-M.
Kulmala, J. *see* Ouwehand, A.C.

Le Cann, P. *see* Loisy, F.
Le Guyader, F. *see* Loisy, F.
Lee, K.J. *see* Lee, S.H.
Lee, K.-K. *see* Liu, P.-C.
Lee, S.H., Kim, J.Y., Lee, S.K., Jin, W., Kang, S.G. & Lee, K.J. Discriminatory detection of extended-spectrum β-lactamases by restriction fragment length dimorphism-PCR, 307
Lee, S.K. *see* Lee, S.H.
Leighton, T. *see* Longchamp, P.
Lertcanawanichakul, M. & Wiwat, C. Improved shuttle vector for expression of chitinase gene in *Bacillus thuringiensis*, 123
Lever, M.S., Williams, A. & Bennett, A.M. Survival of mycobacterial species in aerosols generated from artificial saliva, 238
Liébana, J. *see* Uberos, J.
Lilenbaum, W., Veras, M., Blum, E. & Souza, G.N. Relief from glucose interference in microcin B17 biosynthesis by growth in a rotating-wall bioreactor, 42
Limerick, B. *see* Farber, J.M.
Literák, I. *see* Čižek, A.
Liu, P.-C., Chen, Y.-C., Huang, C.-Y. & Lee, K.-K. Virulence of *Vibrio parahaemolyticus* isolated from cultured small abalone, *Haliotis diversicolor supertexta*, with withering syndrome, 433
Logan, N.A. *see* Finlay, W.J.J.
Loisy, F., Le Cann, P., Pommepuy, M. & Le Guyader, F. An improved method for the detection of Norwalk-like caliciviruses in environmental samples, 411
Longchamp, P. & Leighton, T. Molecular recognition specificity of *Bacillus globigii* spore antibodies, 242

Maas, J.L. *see* Scott Jr, D.L.
Macgregor, S.J. *see* Rowan, N.J.
Mackie, M.T. *see* Farber, J.M.
Macrae, M. *see* Ogden, I.D.
Maifreni, M. *see* Marino, M.
Maillard, J.Y. *see* Simons, C.
Malhotra, R., Noorwez, S.M. & Satyanarayana, T. Production and partial characterization of thermostable and calcium-independent α-amylase of an extreme thermophile *Bacillus thermooeleovorans* NP54, 378
Mansfield, L.P. & Forsythe, S.J. The detection of *Salmonella* using a combined immunomagnetic separation and ELISA end-detection procedure, 279
Manzanares, P., Orejas, M., Ibañez, E., Vallés, S. & Ramón, D. Purification and characterization of an α-L-rhamnosidase from *Aspergillus nidulans*, 198
Marino, M., Maifreni, M., Moret, S. & Rondinini, G. The capacity of Enterobacteriaceae species to produce biogenic amines in cheese, 169
Märtlbauer, E. *see* Richter, J.
Martuscelli, M., Crudele, M.A., Gardini, F. & Suzzi, G. Biogenic amine formation and oxidation by *Staphylococcus xylosus* strains from artisanal fermented sausages, 228
Mas, A. *see* Poblet, M.
Mavrogeni, P. *see* Zdragas, A.
Maynard, C.A. *see* Powell, W.A.
Mcguigan, K.G. *see* Smith, R.J.
Membré, J.-M. & Kubaczka, M. Predictive modelling approach applied to spoilage fungi. growth of *Penicillium brevicompactum* on solid media, 247
Miake, F. *see* Watanabe, K.

Miglioli, M. *see* Del Re, B.
Mishra, S.K. *see* Fang, A.
Moawad, H. *see* Abd El Haleem, D.
Molina, A. *see* Uberos, J.
Montville, T.J. *see* Chung, H.-J.
Moreau, R.A. *see* Fett, W.F.
Moret, S. *see* Marino, M.
Morgan, J.A.W. *see* Karpouzas, D.G.
Mor-Mur, M. *see* Yuste, J.
Moschetti, G. *see* Blaiotta, G.
Moter, A. *see* Abd El Haleem, D.
Muela, A. *see* Arana, I.
Murana, I. *see* Uberos, J.
Murali Krishna, P.S., Venkateswarlu, G. & Venkateswar Rao, L. Growth condition-related response of *Listeria monocytogenes* 412 to bacteriocin inactivation, 73
Mykkänen, H. *see* Ouwehand, A.C.

Nader-Macías, M.E. *see* Otero, C.
Naka, H. *see* Watarai, S.
Nattress, F.M. *see* Yost, C.K.
Neyts, K., Huys, G., Uyttendaele, M., Swings, J. & Debevere, J. Incidence and identification of mesophilic *Aeromonas* spp. from retail foods, 359
Niemi, P. *see* Ouwehand, A.C.
Noorwez, S.M. *see* Malhotra, R.

Ogden, I.D., Macrae, M., Hepburn, N.F. & Strachan, N.J.C. Improved isolation of *Escherichia coli* O157 using large enrichment volumes for immunomagnetic separation, 338
Oguma, K. *see* Watarai, S.
Okano, R. *see* Sugita, H.
On, S.L.W. *see* Petersen, L.
Orejas, M. *see* Manzanares, P.
Osman, S.F. *see* Fett, W.F.
Otero, C., Saavedra, L., Silva De Ruiz, C., Wilde, O., Holgado, A.R. & Nader-Macías, M.E. Vaginal bacterial microflora modifications during the growth of healthy cows, 251
Ouwehand, A.C., Gråsten, S., Niemi, P., Mykkänen, H. & Salminen, S. Production of cutinolytic esterase by filamentous bacteria, 30
Ouwehand, A.C., Tölkkö, S., Kulmala, J., Salminen, S. & Salminen, E. Development of a direct viable count procedure for the investigation of VBNC state in *Listeria monocytogenes*, 82
Ozino, O. *see* Bosio, K.

Palenzona, D. *see* Del Re, B.
Papapetropoulou, M. *see* Vantarakis, A.
Park, C.-M. & Beuchat, L.R. Survival of *Escherichia coli* O157:H7 in potato starch as affected by water activity, pH and temperature, 364
Pathak, N.N. *see* Agarwal, N.
Petersen, L. & On, S.L.W. Neuraminidase-producing ability of intestinal bacteria isolated from coastal fish, 14
Pierson, D.L. *see* Fang, A.
Pirovani, M.E., Güemes, D.R., Di Pentima, J.H. & Tessi, M.A. Survival of *Salmonella hadar* after washing disinfection of minimally processed spinach, 143
Pla, R. *see* Yuste, J.
Poblet, M., Rozès, N., Guillamón, J.M. & Mas, A. Antimicrobial susceptibility of bifidobacteria, 63
Pommepuy, M. *see* Loisy, F.
Pons, A.M. *see* Portrait, V.
Portrait, V., Cottenceau, G. & Pons, A.M. A *Fusobacterium mortiferum* strain produces a bacteriocin-like substance(s) inhibiting *Salmonella enteritidis*, 115
Powell, C.D., Quain, D.E. & Smart, K.A. Antimicrobial susceptibility of staphylococci isolated from otitis externa in dogs, 46
Powell, W.A., Catranis, C.M. & Maynard, C.A. Design of self-processing antimicrobial peptides for plant protection, 163
Provost, F. *see* Guillot, J.
Pucillo, C. *see* Civilini, M.

Quain, D.E. *see* Powell, C.D.
Quinn, P.J. & Scanlon, M.P. Elimination of volatile chemicals in disinfectant evaluation procedures by freeze drying, 223

Ramón, D. *see* Manzanares, P.
Reezal, A. *see* Yazid, A.M.
Richter, J., Becker, H. & Märtlbauer, E. Improvement in *Salmonella* detection in milk and dairy products: comparison between the ISO method and the Oxoid SPRINT *Salmonella* test, 443
Risède, J.M. *see* Sutra, L.
Robertson, B. *see* Gross, N.T.
Rodríguez, M.M. *see* Benito, M.J.
Rokiah, M.Y. *see* Yazid, A.M.
Rondinini, G. *see* Marino, M.
Rosillon, F. *see* Kalogo, Y.
Rowan, N.J., Anderson, J.G. & Candlish, A.A.G. Cellular morphology of rough forms of *Listeria monocytogenes* isolated from clinical and food samples, 319
Rowan, N.J., Macgregor, S.J., Anderson, J.G., Fouracre, R.A. & Farish, O. Pulsed electric field inactivation of diarrhoeagenic *Bacillus cereus* through irreversible electroporation, 110

Rozès, N. *see* Poblet, M.
Russell, A.D. *see* Simons, C.

Saavedra, L. *see* Otero, C.
Sahoo, A. *see* Agarwal, N.
Salminen, E. *see* Ouwehand, A.C.
Salminen, S. *see* Ouwehand, A.C.
Salminen, S. *see* Ouwehand, A.C.
Samanta, S.K. *see* Bhushan, B.
Santorum, P. *see* Arana, I.
Satyanarayana, T. *see* Malhotra, R.
Savoia, D. *see* Bosio, K.
Scanlon, M.P. *see* Quinn, P.J.
Scheer, P. *see* Čižek, A.
Schneider, F. *see* Grill, J.P.
Scott Jr, D.L., Clark, C.W., Tooley, P.W., Carras, M.M. & Maas, J.L. The use of biomagnetic separation to recover DNA suitable for PCR from *Claviceps* species, 95
Seddon, B. *see* Edwards, S.G.
Sgorbati, B. *see* Del Re, B.
Shinagawa, Y. *see* Sugita, H.
Shuhaimi, M. *see* Yazid, A.M.
Silva De Ruiz, C. *see* Otero, C.
Simeoli, E. *see* Blaiotta, G.
Simons, C., Walsh, S.E., Maillard, J.Y. & Russell, A.D. A NOTE: *Ortho*-phthalaldehyde: proposed mechanism of action of a new antimicrobial agent, 299
Siragusa, G.R., Kang, D.H. & Cutter, C.N. Monitoring the microbial contamination of beef carcass tissue with a rapid chromogenic *Limulus* amoebocyte lysate endpoint assay, 178
Smart, K.A. *see* Powell, C.D.
Smith, R.J., Kehoe, S.C., Mcguigan, K.G. & Barer, M.R. Effects of stimulated solar disinfection of water on infectivity of *Salmonella typhimurium*, 284
Souza, G.N. *see* Lilenbaum, W.
Steinhauserova, I., Fojtikova, K. & Klimes, J. The incidence and PCR detection of *Campylobacter upsaliensis* in dogs and cats, 209
Stephan, R. & Hoelzle, L.E. Characterization of shiga toxin type 2 variant B-subunit in *Escherichia coli* strains from asymptomatic human carriers by PCR-RFLP, 139
Strachan, N.J.C. *see* Ogden, I.D.
Sugita, H., Shinagawa, Y. & Okano, R. Indigo production by naphthalene-degrading bacteria, 10
Sutherland, A.D. *see* Finlay, W.J.J.
Sutra, L., Risède, J.M. & Gardan, L. Isolation of fluorescent pseudomonads from the rhizosphere of banana plants antagonistic towards root necrosing fungi, 289
Suzzi, G. *see* Martuscelli, M.
Swings, J. *see* Neyts, K.

Takahashi, T. *see* Fujisawa, T.
Tana, *see* Watarai, S.
Tatsumi, H. *see* Fukuda, S.
Tell, G. *see* Civilini, M.
Tessi, M.A. *see* Pirovani, M.E.
Tölkkö, S. *see* Ouwehand, A.C.
Tooley, P.W. *see* Scott Jr, D.L.
Tsakos, P. *see* Zdragas, A.
Tsukiji, T. *see* Watanabe, K.

Uberos, J., Molina, A., Liébana, J., Augustin, M.C. & Muñoz, A. The influence of different concentrations of melatonin on the cell-surface hydrophobic characteristics of *Neisseria meningitidis*, 294
Uyttendaele, M. *see* Neyts, K.

Vallés, S. *see* Manzanares, P.
Vantarakis, A., Komninou, G., Venieri, D. & Papapetropoulou, M. Development of a multiplex PCR detection of *Salmonella* spp. and *Shigella* spp. in mussels, 105
Venieri, D. *see* Vantarakis, A.
Venkateswar Rao, L. *see* Murali Krishna, P.S.
Venkateswarlu, G. *see* Murali Krishna, P.S.
Veras, M. *see* Lilenbaum, W.
Verstraete, W. *see* Kalogo, Y.
Villani, F. *see* Blaiotta, G.
Von Wintzingerode, F. *see* Abd El Haleem, D.

Walker, A. *see* Karpouzas, D.G.
Walsh, S.E. *see* Simons, C.
Watanabe, K., Kakita, Y., Kashige, N., Miake, F. & Tsukiji, T. The impact of media composition and petite mutation on the longevity of a polyploid brewing yeast strain, 52
Watarai, S., Tana, Inoue, K., Oguma, K., Naka, H. & Kodama, H. Inhibitory effect of intestinal anti-Gb3 IgA antibody on the verotoxin-induced cytotoxicity, 449
Wigley, P. *see* Cooper, R.A.
Wijey, C. *see* Fett, W.F.
Wilde, O. *see* Otero, C.
Williams, A. *see* Lever, M.S.
Wiwat, C. *see* Lertcanawanichakul, M.
Wolter, W. *see* Zschöck, M.

Yamai, S. *see* Fujisawa, T.

Yamaji, A. *see* Hoshino, N.
Yazid, A.M., Ali, A.M., Shuhaimi, M., Kalaivaani, V., Rokiah, M.Y. & Reezal, A. Effect of ionic strength on the inactivation of micro-organisms by microwave irradiation, 57
Yoshimura, H., Ishimaru, M., Endoh, Y.S. & Kojima, A. Antimicrobial susceptibilities of enterococci isolated from faeces of broiler and layer chickens, 427
Yost, C.K. & Nattress, F.M. The use of multiplex PCR reactions to characterize populations of lactic acid bacteria associated with meat spoilage, 129
Yousef, A.E. *see* Burianek, L.L.
Yuste, J., Pla, R. & Mor-Mur, M. *Salmonella enteritidis* and aerobic mesophiles in inoculated poultry sausages manufactured with high pressure processing, 374

Zaccone, R. *see* Caruso, G.
Zdragas, A., Tsakos, P. & Mavrogeni, P. Evaluation of two assays, MSRV and RV, for the isolation of *Salmonella* spp. from wastewater samples and broiler chickens, 328
Zhang, L. *see* Huang, G.
Zschöck, M., Hamann, H.P., Kloppert, B. & Wolter, W. Shiga-toxin-producing *Escherichia coli* in faeces of healthy dairy cows, sheep and goats: prevalence and virulence properties, 203
Zumalacárregui, J.M. *see* Cordero, M.R.

Index of Subjects

α-L-rhamnosidase from *Aspergillus nidulans* (P. Manzanares, M. Orejas, E. Ibañez, S. Vallés & D. Ramón) 198
Acidobacterial rRNA in soil (A. Felske, W.M. de Vos & A.D.L. Akkermans) 118
Action of nisin against mycobacteria (H.-J. Chung, T.J. Montville & M.L. Chikindas) 416
Adhesion of *Bifidobacterium longum* (B. Del Re, B. Sgorbati, M. Miglioli & D. Palenzona) 438
Adhesion of inactivated probiotics (A.C. Ouwehand, S. Tölkkö, J. Kulmala, S. Salminen & E. Salminen) 82
Aeromonas spp. in retail foods (K. Neyts, G. Huys, M. Uyttendaele, J. Swings & J. Debevere) 359
Aerosol survival of mycobacteria (M.S. Lever, A. Williams & A.M. Bennett) 238
Amine oxidase activity in *Staph. xylosus* (M. Martuscelli, M.A. Crudele, F. Gardini & G. Suzzi) 228
Antibody detection of NDO (M. Civilini, C. Pucillo, A. Colombatti, G. Damante, M. de Bertoldi & G. Tell) 313
Antimicrobial peptides (W.A. Powell, C.M. Catranis & C.A. Maynard) 163
Antimicrobial susceptibility of bifidobacteria (A.M. Yazid, A.M. Ali, M. Shuhaimi, V. Kalaivaani, M.Y. Rokiah & A. Reezal) 57

Bacillus cereus emetic toxin (W.J.J. Finlay, N.A. Logan & A.D. Sutherland) 385
Bacillus globigii spore antibody specificity (P. Longchamp & T. Leighton) 242
Bacterial cutinolytic esterase (W.F. Fett, C. Wijey, R.A. Moreau & S.F. Osman) 25
Bacterial gene expression on beef (E.D. Berry) 265
Bactericidal catechin-Cu (II) (N. Hoshino, T. Kimura, F. Hayakawa, A. Yamaji & T. Ando) 213
Bacteriocin from *Fusobacterium* (V. Portrait, G. Cottenceau & A.M. Pons) 115
B. brevis selective medium (S.G. Edwards & B. Seddon) 395
Bioluminescent EIA of *Staph. aureus* (S. Fukuda, H. Tatsumi, H. Igarashi & S. Igimi) 134
Biomagnetic separation (D.L. Scott Jr, C.W. Clark, P. W. Tooley, M.M. Carras & J.L. Maas) 95

Campylobacter upsaliensis in dogs and cats (I. Steinhauserova, K. Fojtikova & J. Klimes) 209
Carbofuran-degrading bacteria in soil (D.G. Karpouzas, J.A.W. Morgan & A. Walker) 353
Changes in vaginal bacteria in healthy cows (C. Otero, L. Saavedra, C. Silva de Ruiz, O. Wilde, A.R. Holgado & M.E. Nader-Macías) 251
Comparison of RV and MSRV (A. Zdragas, P. Tsakos & P. Mavrogeni) 328
Conjugation in *Lactococcus lactis* (G. Blaiotta, D. Ercolini, E. Simeoli, G. Moschetti & F. Villani) 343

Detection of L-forms in plants (C.M.J. Ferguson, N.A. Booth & E.J. Allan) 390
Diet, probiotic binding and faecal mucus (A.C. Ouwehand, S. Gråsten, P. Niemi, H. Mykkänen & S. Salminen) 30
Differentiation of *Staphylococcus* sp. by arbitrarily primed-PCR (M.J. Benito, M.M. Rodríguez, M.G. Córdoba, E. Aranda & J.J. Córdoba) 368
Discriminatory detection of ESBLS (S.H. Lee, J.Y. Kim, S.K. Lee, W. Jin, S.G. Kang & K.J. Lee) 307
Diversity of ammonia-oxidizing bacteria (D. Abd El Haleem, F. von Wintzingerode, A. Moter, H. Moawad & U.B. Göbel) 34
DVC procedure in *Listeria monocytogenes* (V. Besnard, M. Federighi & J.M. Cappelier) 77

E. coli detection by immunofluorescence (G. Caruso, R. Zaccone & E. Crisafi) 274
Effects of bacteria on cholesterol (J.P. Grill, C. Cayuela, J.M. Antoine & F. Schneider) 154
Effect of disinfectants upon DOC (I. Arana, P. Santorum, A. Muela & I. Barcina) 157
Enterobacteriaceae and biogenic amines (M. Marino, M. Maifreni, S. Moret & G. Rondinini) 169
Enterococci in chickens (H. Yoshimura, M. Ishimaru, Y.S. Endoh & A. Kojima) 427

Fibrinolytic enzyme from *Streptomyces* (R.R. Chitte & S. Dey) 405

Genotypes of *Camp. jejuni* from poultry (L. Petersen & S.L.W. On) 14
Growth of *Penicillium brevicompactum* (J.-M. Membré & M. Kubaczka) 247

Hydrolytic microbial diversity in UASB (Y. Kalogo, F. Rosillon, F. Hammes & W. Verstraete) 259

Identification of acetic acid bacteria (M. Poblet, N. Rozès, J.M. Guillamón & A. Mas) 63
Identification of *Malassezia* spp. by PCR-REA (J. Guillot, M. Deville, M. Berthelemy, F. Provost & E. Guého) 400
Improvement in *Salmonella* detection (J. Richter, H. Becker & E. Märtlbauer) 443
IMS-ELISA *Salmonella* detection (L.P. Mansfield & S.J. Forsythe) 279
Inactivation of micro-organisms by microwave irradiation (K. Watanabe, Y. Kakita, N. Kashige, F. Miake & T. Tsukiji) 52
Increased IMS test volumes for *E. coli* O157 (I.D. Ogden, M. MacRae, N.F. Hepburn & N.J.C. Strachan) 338
Indigo production by bacteria (B. Bhushan, S.K. Samanta & R.K. Jain) 5

Infectivity in solar irradiated *Salm. typhimurium* (R.J. Smith, S.C. Kehoe, K.G. McGuigan & M.R. Barer) 284
Inhibition of *B. cepacia* by honey (R.A. Cooper, P. Wigley & N.F. Burton) 20
Inhibitory effect of intestinal anti-Gb3 IgA VT (S. Watarai, Tana, K. Inoue, K. Oguma, K. Naka & H. Kodama) 449
IPCR of Tn5 flanking sequences (G. Huang, L. Zhang & R.G. Birch) 149
Isolation of campylobacter DNA (M.D. Englen & L.C. Kelley) 421

Lifespan and brewing yeast (C.D. Powell, D.E. Quain & K.A. Smart) 46
Listeria monocytogenes (A.-M. Jydegaard, A. Gravesen & S. Knøchel) 68
Listeriosis outbreak due to crab meat (J.M. Farber, E.M. Daley, M.T. Mackie & B. Limerick) 100

Melatonin and hydrophobicity (J. Uberos, A. Molina, J. Liébana, M.C. Augustin & A. Muñoz) 294
Microbial contamination of beef (G.R. Siragusa, D.H. Kang & C.N. Cutter) 178
Microcin B17 biosynthesis (A. Fang, D.L. Pierson, S.K. Mishra & A.L. Demain) 39
Micrococcaceae from salt (M.R. Cordero & J.M. Zumalacárregui) 303
Multiplex PCR detection of *Salmonella* and *Shigella* (A. Vantarakis, G. Komninou, D. Venieri & M. Papapetropoulou) 105

Neuraminidase of fish microflora (H. Sugita, Y. Shinagawa & R. Okano) 10
Nisin sensitivity in Gram-negatives (I.S. Boziaris & M.R. Adams) 233
NLV beads-RT-PCR (F. Loisy, P. Le Cann, M. Pommepuy & F. Le Guyader) 411

Ortho-phthalaldehyde (C. Simons, S.E. Walsh, J.Y. Maillard & A.D. Russell) 299
Osmotic response by bakers' yeast (P. V. Attfield & S. Kletsas) 323

PCR to characterize lactic acid bacteria in meat (C.K. Yost & F.M. Nattress) 129
PEF-inactivation of *B. cereus* electroporation (N.J. Rowan, S.J. MacGregor, J.G. Anderson, R.A. Fouracre & O. Farish) 110
Propolis on *Strep. pyogenes* (K. Bosio, C. Avanzini, A. D'Avolio, O. Ozino & D. Savoia) 174

Removal of disinfectants by freeze-drying (P.J. Quinn & M.P. Scanlon) 223
Rhizosphere pseudomonads (L. Sutra, J.M. Risède & L. Gardan) 289
Rifamycin SV production (P.S. Murali Krishna, G. Venkateswarlu & L. Venkateswar Rao) 73
Rough *L. monocytogenes* strains (N.J. Rowan, J.G. Anderson & A.A.G. Candlish) 319
RT-PCR for selective amplification of RNA (K. Koo & L.-A. Jaykus) 187

Saccharomyces as a feed additive (N. Agarwal, D.N. Kamra, L.C. Chaudhary, A. Sahoo & N.N. Pathak) 270
Salm. hadar after washing spinach (M.E. Pirovani, D.R. Güemes, J.H. Di Pentima & M.A. Tessi) 143
Salmonella in pressurized sausages (J. Yuste, R. Pla & M. Mor-Mur) 374
Shuttle vector for expression of chitinase (M. Lertcanawanichakul & C. Wiwat) 123
Sodium chloride and β-glucuronidase (T. Fujisawa, K. Aikawa, T. Takahashi & S. Yamai) 255
Solvent extraction of bacteriocins (L.L. Burianek & A.E. Yousef) 193
Staphylococci from dogs (W. Lilenbaum, M. Veras, E. Blum & G.N. Souza) 42
STEC in ungulates (M. Zschöck, H.P. Hamann, B. Kloppert & W. Wolter) 203
Stringent response of *Staph. aureus* (A.-M. Crosse, D.L.A. Greenway & R.R. England) 332
STX2 variants, healthy human carriers (R. Stephan & L.E. Hoelzle) 139
Surfactant-IgG against *C. neoformans* (N.T. Gross, C. Jarstrand & B. Robertson) 218
Survival of *E. coli* O157:H7 in potato starch (C.-M. Park & L.R. Beuchat) 364
Survival of *E. coli* O157 (A. Čižek, I. Literák & P. Scheer) 349

Thermostable α-amylase of *Bacillus thermooeleovorans* NP54 (R. Malhotra, S.M. Noorwez & T. Satyanarayana) 378

Virulence of *Vibrio parahaemolyticus* in abalone (P.-C. Liu, Y.-C. Chen, C.-Y. Huang & K.-K. Lee)